

Getinge Assured Titems Monitor HP

Product Namo	Cotingo Titomo Monitor UD Stoom
	Getinge Titems Monitor HP Steam
Product Code	AUS 410, AUS 415, AUS 420
Recommended Use	For diagnostic use only. Not for normal consumer use. The Getinge Titems Monitor HP multi-variable chemical indicator strips are designed for utilization in steam sterilization cycles operating at 134°C for 3.5 minutes or longer. When used as directed, the Monitor HP indicator gives a visible indication that sterilizing parameters were met.
Supplier	Getinge Infection Control AB, PO Box 69, 305 05, Getinge, Sweden
Supplier Australia:	Getinge Australia Pty Ltd Suite 701, Level 7, 11 Help Street, Chatswood, NSW 2067, Australia Phone: 1800 438 464
Supplier New Zealand:	Getinge Australia (NZ Branch) 600 Great South Road, Building B, Level 2 Ellerslie, Auckland 1051, New Zealand Phone: 0800 1 438 464
Telephone No.	For emergency event of spillage, inhalation or ingestion of products, please contact the emergency hotline: Australia: +61 280 144 558 New Zealand: +64 9 929 1484
Web	http://www.getinge.com
Email	info@getinge.com
NOTICE	Notice: This product meets the definition of an "article" and is exempted from SDS requirements as defined by Section 1.3.2.1.1 of the GHS fourth revised edition (2011), 29 CFG part 1910.1200 of the U.S. OSHA Hazard Communication Standard, and Section 3 of the Canadian Hazardous Products Act. The information provided in this SDS is for informational purposes only and does not necessarily reflect warning and precautionary statements indicated on the product's packaging or container label. Additionally, the ingredients contained in this product are below the respective cut-off levels for SDS development under the above referenced regulations.
	Supplier Supplier Australia: Supplier New Zealand: Telephone No. Web Email

2.0 Hazards Identification

GHS Classification:

Acute Toxicity (Oral), Category 5 Acute Toxicity (Dermal), Category 5

GHS Label Code(s): H303 + H313

Pictogram(s): None

Signal Word(s): Warning

	Hazard Statement(s): H303 + H313 May be harmful if sv Precautionary Statement(s): P264 – Wash hands thoroughly a P270 – Do not eat, drink or smoke P280 – Wear protective eye protec This product presents no health	fter handling. e when using this p ection. n or physical haza	product. rds under normal co	
	lation of decomposition product irritation develops following inh- area to fresh air. If symptoms per This product is essentially nonirr sult in material being absorbed t holder may be hot to the touch if icant amounts of this product is ing if swallowed. Single dose toxi	alation of decomp sist, get prompt m itating to skin. Pro chrough skin in ha handled immediat highly unlikely. Ing	position products, re nedical attention. plonged exposure to rmful amounts. The ely after the wash cy gestion of physical a	emove the victim from skin is not likely to re aluminum strip or the vcle. Ingestion of signil
3.0	Component	EC Number	CAS Number	Weight %
Composition /	Lead Carobonate*	583-63-0	209-943-4	0.19
Information on	Trade Secret 1	Registered	Registered	< 0.1
Ingredients	Non-Hazardous Component *Carcinogenicity: IARC: 2A - Grou NTP: Reasonably Anticipated To *Reproductive Toxicity: Known H	Be A Human Carci	inogen	
	 normal conditions of use by qualified persons. For sensitive or susceptible individuals, treat symptomatically as described below. Inhalation: Breathing difficulty caused by inhalation of particulates requires removal to fresh air. It breathing has stopped, perform artificial respiration if qualified and trained and obtair medical assistance at once. Ingestion: Obtain medical assistance at once regardless of the presence or absence of symptoms. Only induce vomiting if advised by a medical professional. Skin: Subcutaneous deposition through skin cuts and abrasions can be treated by standard first aid measures. Skin contamination through direct contact can be removed by washing with soap and water. If irritation persists, obtain medical assistance. 			
	Eyes: Material should be flushed from persists, obtain medical assista objects are present as corneal da	the eyes with co nce. DO NOT rub	pious amounts of c	
5.0 Firefighting	Suitable Extinguishing Media: Use water, dry chemical, foam, or carbon dioxide to extinguish fire.			
Measures	Fire Fighting Procedures: Do not flush down sewers or other drainage systems. Exposed firefighters must wear NIOSH-approved positive pressure self-contained breathing apparatus with full-face mask and full protective clothing.			
	Unusual Fire and Explosion Haza None Known.	ards:		
	Combustion Products:			
SDS280_01_EN-AU	Irritating or toxic substances ma lead, carbon, carbon monoxide a			tion including oxides o

6.0 Accidental Release Measures	Personal Precautions, Protective Equipment And Emergency Procedures For Non-Emergency Personnel: Spills or releases of this product are not expected to result in significant emergency response procedures. Wear protective cotton gloves or their equivalent when cleaning spilled or re- leased material.			
	Personal Precautions, Pro		nt And Emergency Procee	dures
	For Emergency Responder If large amounts of spilled protective clothing approp tion should be worn if mate	or released mater oriate to the incid	ent to prevent skin conta	
	Environmental Precaution Prevent water used to ex		om reaching drains, sew	ers, surface waters or
	groundwater. Methods and Materials fo Released material in dry fo hand if wearing protective fires from reaching drains, vacuuming methods to cle	orm may be swept cotton gloves or t sewers, surface w	t up using a broom and d heir equivalent. Prevent v vaters or groundwater by	vater used to extinguish
7.0 Handling and Storage	Precautions for Safe Handling: Under conditions of normal handling and use expected for this product, no handling precau- tions other than those explained below are believed to be necessary. Handling precautions will be dependent on the method in which the product is used. Consult your safety represen- tative for more details. DO NOT eat, drink or smoke when handling this product. Wash hands thoroughly after handling.			
	Storage: Keep product sealed in its and at normal humidity (10 stances.			
8.0 Exposure	Component	CAS Number	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Controls /	Lead Carbonate	598-63-0	0.05	0.05
Personal	Trade Secret 1	Registered	None Established	None Established
Protection	Non-Hazardous Component	Not Applicable	Not Applicable	Not Applicable
	Appropriate Engineering Controls: None needed when this product is used in its prescribed manner by qualified personnel.			
	Eye/Face Protection: Safety glasses with side-sl	nields conforming	to EN166. Use equipment	for eye protection test-

Skin Protection:

None needed when this product is used in its prescribed manner by qualified personnel. Wear impervious clothing if exposures to skin are excessive. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

ed and approved under appropriate government standards such as EN 166(EU).

Respiratory Protection:

None needed when this product is used in its prescribed manner by qualified personnel. Where risk assessment shows air-purifying respirators are appropriate use a particle respirator type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Thermal Hazards:

None anticipated when this product is used in its prescribed manner by qualified personnel.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9.0 Physical	Appearance	White Test Strip (Solid)	
and Chemical	Odor	None	
Properties	Odor Threshold	None	
	рН	Not Applicable	
	Melting Point	Not Applicable	
	Freezing Point	Not Applicable	
	Boiling Point	Not Applicable	
	Boiling Range	Not Applicable	
	Flash Point	Not Applicable	
	Evaporation Rate	Not Applicable	
	Flammability	Not Flammable	
	Upper Flammable Limit	Not Applicable	
	Vapor Pressure	Not Applicable	
	Vapor Density	Not Applicable	
	Relative Density	Not Applicable	
	Solubility	Not Soluble	
	Octanol/Partition Coefficient	Not Applicable	
	Auto Ignition Temperature	Not Available	
	Decomposition Temperature	Not Available	
	Viscosity	Not Applicable	
10.0 Stability	Reactivity: This product is not rea	ctive.	
and Reactivity	Chemical Stability: This product is stable under normal handling conditions.		
and Rodocivicy	Possibility of Hazardous Reactions: This product will not polymerize.		
	Conditions to Avoid: Avoid open flames as test paper is combustible.		
	Incompatible Materials: Acids, Bases, Oxidizers, Reducing Agents and Halogens.		
	-	cts: Irritating or toxic substances including oxides of	
	lead, sulfur, carbon and nitrogen.		

11.0		uct have not been fully investigated as a whole.	
Toxicological Information	Acute Toxicity:	No Data Available	
	Skin Corrosion/Irritation:	No Data Available	
	Serious Eye Damage/Irritation:	No Data Available	
	Respiratory or Skin Desensitization:	No Data Available	
	Germ Cell Mutagenicity:	No Data Available	
	Carcinogenicity:	No Data Available	
	Reproductive Toxicity:	No Data Available	
	STOT - Single Exposure:	No Data Available	
	STOT - Repeated Exposure:	No Data Available	
	Aspiration Hazard:	No Data Available	
	Ingestion:	No Data Available	
	Inhalation:	No Data Available	
	Skin / Eye Exposure:	No Data Available	
	Acute and Chronic Effects:	No Data Available	
	Potential Health Effects:	No Data Available	
	Signs and Symptoms of Exposure:	No Data Available	
	Synergistic Effects:	No Data Available	
12.0 Ecological	The ecological properties of this product have not been fully investigated as a whole.		
Information	Toxicity to Fish and Invertebrates	No Data Available	
mormation	Persistence and Degradability	No Data Available	
	Bioaccumulative Potential	No Data Available	
	Mobility in Soil	No Data Available	
	PBT and vPvB Assessment	No Data Available	
	Other Adverse Effects	No Data Available	
13.0 Disposal	Product:		
Considerations	Offer surplus and non-recyclable material to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.		
	Contaminated Packaging: Dispose of as unused product.		
14.0 Transport Information	This product is not a hazardous material shipping regulations.	when shipped according to DOT, IATA or IMDG	

15.0 Regulatory Information

European Inventory of Existing Commerical Chemical Substances: All substances contained in this product are listed on the EINECS.

16.0 Other Information

This Safety Data Sheet complies with Section 13 of the Canadian Hazardous Products Act (HPA), the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals and the European Union's (EU) Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) requirements.

Abbreviations

Abbrevi	ations
%	Percent
С	Degrees Celsius
CAS	Chemical Abstracts Number
EC	European Commission Number
EC50	Half maximal effective concentration
EINECS	European Inventory Of Existing Commercial Chemical Substances
EU	European Union
F	Degrees Fahrenheit
GHS	Globally Harmonized System (GHS) of Classification and Labeling of Chemicals
h	Hours
HPA	Hazardous Products Act
IARC	International Agency for the Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal Dose to kill 50% of test species via inhalation
LD50	Lethal Dose to kill 50% of test species via oral or dermal administration
LDLO	Lethal Dose - Low Concentration
mg/kg	Milligram per kilogram of body weight
mg/l	Milligrams per liter
mg/m3	Milligrams per cubic meter
MSDS	Material Safety Data Sheet
NAAQS	National Ambient Air Quality Standard established under CAA
PBT	Persistent Bioaccumulative Toxin
PEL	Permissible Exposure Limit Averaged Over 8 Hours (See OSHA)
ppb	Parts Per Billion
ppm	Parts Per Million
REACH	Registration, Evaluation, Authorization and Restriction of Chemicals (See EU)
RQ	Reportable Quantity
RTK	Right-To-Know
SDS	Safety Data Sheet
SVHC	Substances of Very High Concern (See REACH)
TLV	Threshold Limit Value Averaged Over 8 Hours (See ACGIH)
vPvB	Very Persistent, Very Bioaccumulative Chemical (See REACH).
WHIMS	Canadian Workplace Hazardous Materials Information System

IMPORTANT USE NOTICE

Information contained in this Safety Data Sheet is offered for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on information which we believe to be reliable. However, the accuracy and completeness of such information is not guaranteed and no warranty of any kind, either expressed or implied, is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe upon any patent of Getinge or its subsidiaries or others covering any process, composition of matter, or use. Since Getinge or its subsidiaries have no control over the use of this product, Getinge and its subsidiaries assumes no liability of any kind whatsoever for any loss or damages incurred from the proper or improper use of this product. End users of this product are responsible for conforming with all applicable Federal, State, Provincial, International and Local laws, rules and regulations.

END of SDS

SDS Current Date 07/15/2022 Authored By: Michael Boozer / ChemReport, Incorporated Co Authored by Steritec Products

SDS280_01_EN-AU - Getinge Titems Monitor HP Safety Data Sheet

Getinge Infection Control AB, P O Box 69, SE-305 05 Getinge, Sweden