

# **Getinge Assured**

## Green Tape

1.0 Product and Company Identification

**Product Name** Getinge Assured Green Tape 18mm

Getinge Assured Green Tape 24mm

**Product Code** 600115902, 6001154903

Recommended Use For diagnostic use only. Not for normal consumer use. Sterilization

packages sealing tape with a process indicator for steam processes

printed on the tape.

**Supplier** Getinge Infection Control AB, PO Box 69, 305 05, Getinge, Sweden

**Telephone No.** +46 10 335 00 0

Web http://www.getinge.com

Email info@getinge.com

NOTICE Notice: This product meets the definition of an "article" and is

exempted from SDS requirements as defined by Section 1.3.2.1.1 of the GHS fourth revised edition (2011), 29 CFG part 1910.1200 of the U.S. OSHA Hazard Communication Standard, and Section 3 of the Canadian Hazardous Products Act. The information provided in this SDS is for informational purposes only and does not necessarily reflect warning and precautionary statements indicated on the

product's packaging or container label.

# 2.0 Hazards Identification

#### **GHS Classification:**

Acute Toxicity (Oral), Category 4 Acute Toxicity (Dermal), Category 2

#### GHS Label Code(s):

H303 + H313

#### Pictogram(s):

None

#### Signal Word(s):

Warning

#### **Hazard Statement(s):**

H303 + H313 May be harmful if swallowed or in contact with skin.

#### Precautionary Statement(s):

P264 - Wash hands thoroughly after handling.

P270 – Do not eat, drink or smoke when using this product.

P280 – Wear protective eye protection.

This product presents no health or physical hazards under normal conditions of use. Inhalation of decomposition products from burning may cause eye and respiratory irritation. If irritation develops following inhalation of decomposition products, remove the victim from area to fresh air. If symptoms persist, get prompt medical attention.

This product is essentially nonirritating to skin. Prolonged exposure to skin is not likely to result in material being absorbed through skin in harmful amounts. The aluminum strip or the holder may be hot to the touch if handled immediately after the wash cycle. Ingestion of significant amounts of this product is highly unlikely. Ingestion of physical article may cause choking if swallowed. Single dose toxicity is believed to be very low.

## 3.0 Composition / Information on Ingredients

Component	<b>EC Number</b>	<b>CAS Number</b>	Weight %
Trade Secret 1	Registered	Registered	0.5 - 1.5
Trade Secret 2	Registered	Registered	1.5 - 3
Cupric Carbonate Basic	235-113-6	12069-69-1	1-2
Non-Hazardous Components	Registered	Registered	95 - 97.5

## 4.0 First Aid Measures

Due to the low levels of hazardous components contained in this product, no acute, delayed or chronic adverse health effects are expected to occur via any exposure route under normal conditions of use by qualified persons. For sensitive or susceptible individuals, treat symptomatically as described below.

#### Inhalation:

Breathing difficulty caused by inhalation of particulates requires removal to fresh air. If breathing has stopped, perform artificial respiration if qualified and trained and obtain medical assistance at once.

#### Ingestion:

Obtain medical assistance at once regardless of the presence or absence of symptoms. Only induce vomiting if advised by a medical professional.

#### Skin:

Subcutaneous deposition through skin cuts and abrasions can be treated by standard first aid measures. Skin contamination through direct contact can be removed by washing with soap and water. If irritation persists, obtain medical assistance.

#### **Eyes:**

Material should be flushed from the eyes with copious amounts of clean water. If irritation persists, obtain medical assistance. DO NOT rub the eyes if particulate matter or foreign objects are present as corneal damage can occur.

# 5.0 Firefighting Measures

#### Suitable Extinguishing Media:

Use water, dry chemical, foam, or carbon dioxide to extinguish fire.

#### Fire Fighting Procedures:

Do not flush down sewers or other drainage systems. Exposed firefighters must wear approved positive pressure self-contained breathing apparatus with full-face mask and full protective clothing.

#### **Unusual Fire and Explosion Hazards:**

None Known.

#### **Combustion Products:**

Irritating or toxic substances may be emitted upon thermal decomposition including metal oxides, carbon, sulfur and nitrogen oxides.

SDS547\_03\_EN 2/7

# 6.0 Accidental Release Measures

## Personal Precautions, Protective Equipment And Emergency Procedures For Non-Emergency Personnel:

Spills or releases of this product are not expected to result in significant emergency response procedures. Wear protective cotton gloves or their equivalent when cleaning spilled or released material.

## Personal Precautions, Protective Equipment And Emergency Procedures For Emergency Responders:

If large amounts of spilled or released materials are involved, wear appropriate and approved protective clothing appropriate to the incident to prevent skin contact. Respiratory protection should be worn if material is involved in a fire. (See Section 8.0).

#### **Environmental Precautions:**

Prevent water used to extinguish fires from reaching drains, sewers, surface waters or groundwater.

#### Methods and Materials for Containment and Cleanup:

Released material in dry form may be swept up using a broom and dust pan or picked up by hand if wearing protective cotton gloves or their equivalent. Prevent water used to extinguish fires from reaching drains, sewers, surface waters or groundwater by diking, berming or using vacuuming methods to clean up extinguishing media.

# 7.0 Handling and Storage

#### **Precautions for Safe Handling:**

Under conditions of normal handling and use expected for this product, no handling precautions other than those explained below are believed to be necessary. Handling precautions will be dependent on the method in which the product is used. Consult your safety representative for more details. DO NOT eat, drink or smoke when handling this product. Wash hands thoroughly after handling.

#### **Storage**

Keep product sealed in its original container at room temperature 10 to  $38^{\circ}$  C (50 to  $100^{\circ}$  F) and at normal humidity (10 to 60 %). DO NOT mix this product with any other chemical substances.

# 8.0 Exposure Controls / Personal Protection

Component	<b>CAS Number</b>	OSHA PEL (mg/m3)	ACGIHTLV (mg/m3)
Trade Secret 1	Registered	None Established	None Established
Trade Secret 2	Registered	None Established	None Established
<b>Cupric Carbonate Basic</b>	12069-69-1	1.0	1.0
Non-Hazardous Components	Registered	None Established	None Established

#### **Appropriate Engineering Controls:**

None needed when this product is used in its prescribed manner by qualified personnel.

#### **Eve/Face Protection:**

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

#### **Skin Protection:**

None needed when this product is used in its prescribed manner by qualified personnel. Wear impervious clothing if exposures to skin are excessive. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SDS547\_03\_EN 3/7

#### **Respiratory Protection:**

None needed when this product is used in its prescribed manner by qualified personnel. Where risk assessment shows air-purifying respirators are appropriate use a particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Thermal Hazards:**

None anticipated when this product is used in its prescribed manner by qualified personnel.

#### **Hygiene Measures:**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9.0 Physical and Chemical **Properties**

Test Tape (Solid) **Appearance** 

Odor None **Odor Threshold** None

Hq Not Applicable **Melting Point** Not Applicable **Freezing Point** Not Applicable **Boiling Point** Not Applicable **Boiling Range** Not Applicable **Flash Point** Not Applicable **Evaporation Rate** Not Applicable **Flammability** Not Flammable **Upper Flammable Limit** Not Applicable **Vapor Pressure** Not Applicable **Vapor Density** Not Applicable **Relative Density** Not Applicable Solubility Not Soluble **Octanol/Partition Coefficient** Not Applicable **Auto Ignition Temperature** Not Available **Decomposition Temperature** Not Available **Viscosity** Not Applicable

## 10.0 Stability and Reactivity

**Reactivity:** This product is not reactive.

Chemical Stability: This product is stable under normal handling conditions.

Possibility of Hazardous Reactions: This product will not polymerize.

Conditions to Avoid: Avoid open flames as test paper is combustible.

Incompatible Materials: Acids, Bases, Oxidizers, Reducing Agents and Halogens.

Hazardous Decomposition Products: Irritating or toxic substances including oxides of

sulfur, lead, carbon and nitrogen.

SDS547\_03\_EN 4/7

## 11.0 Toxicological Information

The toxicological properties of this product have not been fully investigated as a whole.

Acute Toxicity:	No Data Available
Skin Corrosion/Irritation:	No Data Available
Serious Eye Damage/Irritation:	No Data Available
Respiratory or Skin Desensitization:	No Data Available
Germ Cell Mutagenicity:	No Data Available
Carcinogenicity:	No Data Available
Reproductive Toxicity:	No Data Available
STOT - Single Exposure:	No Data Available
STOT - Repeated Exposure:	No Data Available
Aspiration Hazard:	No Data Available
Ingestion:	No Data Available
Inhalation:	No Data Available
Skin / Eye Exposure:	No Data Available
Acute and Chronic Effects:	No Data Available
Potential Health Effects:	No Data Available
Signs and Symptoms of Exposure:	No Data Available
Synergistic Effects:	No Data Available

# 12.0 Ecological Information

The ecological properties of this product have not been fully investigated as a whole.

Toxicity to Fish and Invertebrates	No Data Available
Persistence and Degradability	No Data Available
Bioaccumulative Potential	No Data Available
Mobility in Soil	No Data Available
PBT and vPvB Assessment	No Data Available
Other Adverse Effects	No Data Available

# 13.0 Disposal Considerations

#### **Product:**

Offer surplus and non-recyclable material to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Discarded product may be considered a U.S. Hazardous Waste if Toxic Characteristic Leachate Procedure shows >5 ppm lead content.

### Contaminated Packaging:

Dispose of as unused product.

# 14.0 Transport Information

This product is not a hazardous material when shipped according to DOT, IATA or IMDG shipping regulations.

SDS547\_03\_EN 5/7

# 15.0 Regulatory Information

#### **Emergency Planning and Community Right-to-Know Act (EPCRA):**

This product is exempt from regulation under the "article exemption".

#### Toxic Substances Control Act (TSCA):

All constituents are listed on the TSCA Inventory.

#### Clean Air Act (CAA):

This product is exempt from regulation under the "article exemption".

#### Clean Water Act (CWA):

This product is exempt from regulation under the "article exemption".

#### Comprehensive Environmental Response Compensation And Liability Act:

This product is exempt from regulation under the "article exemption".

#### **State Right To Know Lists:**

No substances in this product are present above any U.S. State's respective thresholds.

#### **CALIFORNIA PROPOSITION 65 COMPONENTS:**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **SECTION 313 SUPPLIER NOTIFICATION**

This product is exempt from regulation under the "article exemption".

#### **European Inventory of Existing Commerical Chemical Substances:**

All substances contained in this product are listed on the EINECS.

## 16.0 Other Information

This Material Safety Data Sheet complies with the U.S. Hazard Communication Requirements contained in 29 CFR Part 1910.1200 as promulgated by the U.S. Occupational Health and Safety Administration (OSHA), the American National Standards Institute (ANSI) recommended practice for preparing MSDS sheets as contained in ANSI Z400.1- 2004, Section 13 of the Canadian Hazardous Products Act (HPA) and the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

#### Abbreviations

% Percent

ACGIH U.S. American Conference of Governmental Industrial Hygienists

ANSI American National Standards Institute

C Degrees Celsius CAA U.S. Clean Air Act

CAS Chemical Abstracts Number

CERCLA U.S. Comprehensive Environmental Response Compensation And Liability Act

CWA U.S. Clean Water Act

DOT U.S. Department of Transportation EC European Commission Number EC50 Half maximal effective concentration

EINECS European Inventory Of Existing Commercial Chemical Substances EPCRA U.S. Emergency Planning And Community Right-To-Know Act

EU European Union F Degrees Fahrenheit

GHS Globally Harmonized System (GHS) of Classification and Labeling of Chemicals

H Hours

HPA Hazardous Products Act

IARC International Agency for the Research on Cancer

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LC50 Lethal Dose to kill 50% of test species via inhalation

LD50 Lethal Dose to kill 50% of test species via oral or dermal administration

LDLO Lethal Dose - Low Concentration

mg/kg Milligram per kilogram of body weight

SDS547\_03\_EN 6/7

mg/l Milligrams per liter

mg/m3 Milligrams per cubic meter MSDS Material Safety Data Sheet

NAAQS National Ambient Air Quality Standard established under CAA

NPDES U.S. National Pollutant Discharge Elimination System

NTP U.S. National Toxicology Program

OSHA U.S. Occupational Safety and Health Administration (See U.S.)

PBT Persistent Bioaccumulative Toxin

PEL Permissible Exposure Limit Averaged Over 8 Hours (See OSHA)

Ppb Parts Per Billion Ppm Parts Per Million

Prop 65 California Proposition 65

REACH Registration, Evaluation, Authorization and Restriction of Chemicals (See EU)

RQ Reportable Quantity RTK Right-To-Know SDS Safety Data Sheet

SVHC Substances of Very High Concern (See REACH)

TLV Threshold Limit Value Averaged Over 8 Hours (See ACGIH)

TSCA U.S. Toxic Substances Control Act

U.S. United States

vPvB Very Persistent, Very Bioaccumulative Chemical (See REACH). WHIMS Canadian Workplace Hazardous Materials Information System

#### **IMPORTANT USE NOTICE**

Information contained in this Safety Data Sheet is offered for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on information which we believe to be reliable. However, the accuracy and completeness of such information is not guaranteed and no warranty of any kind, either expressed or implied, is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe upon any patent of Getinge or its subsidiaries or others covering any process, composition of matter, or use. Since Getinge or its subsidiaries have no control over the use of this product, Getinge and its subsidiaries assumes no liability of any kind whatsoever for any loss or damages incurred from the proper or improper use of this product. End users of this product are responsible for conforming with all applicable Federal, State, Provincial, International and Local laws, rules and regulations.

END of SDS
SDS Current Date 10/01/2019
Previous Revision Date 06/17/2015
Authored By: Michael Boozer / ChemReport, Incorporated
Co Authored by Joe Vargas / Steritec Products

SDS547\_03\_EN - Getinge Assured Green Tape Safety Data Sheet

Getinge Infection Control AB, P O Box 69, SE-305 05 Getinge, Sweden