

1.0 Product

and Company Identification

Getinge Assured Titems Diagnostic Emulator

Product Name	Getinge Titems Diagnostic Emulator
Product Code	AUS 508
Recommended Use	For diagnostic use only. Not for normal consumer use. The Getinge Titems Diagnostic Emulator is designed for use in steam sterilizers. The Emulator gives visual confirmation of the attainment of sterilization conditions at the location within the sterilizer chamber.
Supplier	Getinge Infection Control AB, PO Box 69, 305 05, Getinge, Sweden
Supplier Australia:	Getinge Australia Pty Ltd Suite 701, Level 7, 11 Help Street, Chatswood, NSW 2067, Australia Phone: 1800 438 464
Supplier New Zealand:	Getinge Australia (NZ Branch) 600 Great South Road, Building B, Level 2 Ellerslie, Auckland 1051, New Zealand Phone: 0800 1 438 464
Telephone No.	For emergency event of spillage, inhalation or ingestion of products, please contact the emergency hotline: Australia: +61 280 144 558 New Zealand: +64 9 929 1484
Web	http://www.getinge.com
Email	info@getinge.com
NOTICE	Notice: This product meets the definition of an "article" and is exempted from SDS requirements as defined by Section 1.3.2.1.1 of the GHS fourth revised edition (2011), 29 CFG part 1910.1200 of the U.S. OSHA Hazard Communication Standard, and Section 3 of the Canadian Hazardous Products Act. The information provided in this SDS is for informational purposes only and does not necessarily reflect warning and precautionary statements indicated on the product's packaging or container label. Additionally, the ingredients contained in this product are below the respective cut-off levels for SDS development under the above referenced regulations.

2.0 Hazards Identification

GHS Classification:

Acute Toxicity (Oral), Category 5 Acute Toxicity (Dermal), Category 5

GHS Label Code(s): H303 + H313

Pictogram(s): None

Signal Word(s): Warning

Hazard Statement(s):

H303 + H313 May be harmful if swallowed or in contact with skin.

Precautionary Statement(s):

- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective eye protection.

This product presents no health or physical hazards under normal conditions of use. Inhalation of decomposition products from burning may cause eye and respiratory irritation. If irritation develops following inhalation of decomposition products, remove the victim from area to fresh air. If symptoms persist, get prompt medical attention.

This product is essentially nonirritating to skin. Prolonged exposure to skin is not likely to result in material being absorbed through skin in harmful amounts. The aluminum strip or the holder may be hot to the touch if handled immediately after the wash cycle. Ingestion of significant amounts of this product is highly unlikely. Ingestion of physical article may cause choking if swallowed. Single dose toxicity is believed to be very low.

3.0	Component	EC Number	CAS Number	Weight %
Composition /	Trade Secret 1	Registered	Registered	< 1
Information on	Trade Secret 2	Registered	Registered	< 0.1
Ingredients	Antimony Trioxide*	1309-64-4	215-175-0	< 0.1
	Butyl Benzyl Phthalate	85-68-7	201-622-7	< 0.1
	Non-Hazardous Component	Not Applicable	Not Applicable	> 99.38 - 99.69
	*Reproductive Toxicity: Reprodu Effects On Fertility: Post-Implan Effects On Embryo or Fetus: Feta	tation Mortality	Inhalation	
4.0 First Aid	Due to the low levels of hazardous components contained in this product, no acute, delaye or chronic adverse health effects are expected to occur via any exposure route und normal conditions of use by qualified persons. For sensitive or susceptible individuals, tre symptomatically as described below.			
Measures	normal conditions of use by qua	alified persons. For s	•	
Measures		lified persons. For s elow. inhalation of partic	ensitive or suscept ulates requires re	tible individuals, tro moval to fresh air
Measures	normal conditions of use by qua symptomatically as described be Inhalation: Breathing difficulty caused by breathing has stopped, perform	alified persons. For s elow. inhalation of partic m artificial respirati ce regardless of the	ensitive or suscept ulates requires re on if qualified and presence or absen	tible individuals, tro moval to fresh air d trained and obt
Measures	normal conditions of use by qua symptomatically as described be Inhalation: Breathing difficulty caused by breathing has stopped, perform medical assistance at once. Ingestion: Obtain medical assistance at on	alified persons. For s elow. inhalation of partic m artificial respirati ce regardless of the	ensitive or suscept ulates requires re on if qualified and presence or absen	tible individuals, tr moval to fresh air d trained and obt
Measures	normal conditions of use by qua symptomatically as described be Inhalation: Breathing difficulty caused by breathing has stopped, perform medical assistance at once. Ingestion: Obtain medical assistance at on induce vomiting if advised by a n	alified persons. For s elow. inhalation of partic m artificial respirati nee regardless of the nedical professional. gh skin cuts and ab on through direct co	ensitive or suscept ulates requires re on if qualified and presence or absen rasions can be trea ontact can be remo	tible individuals, tra moval to fresh air d trained and obt ce of symptoms. O ated by standard fi

5.0 Firefighting Measures	Suitable Extinguishing Me Use water, dry chemical, for Fire Fighting Procedures: Do not flush down sewe NIOSH-approved positive and full protective clothing Unusual Fire and Explosio None Known. Combustion Products: Irritating or toxic substance oxides, and oxides of carbo	oam, or carbon dio ers or other drain pressure self-con g. n Hazards: ees may be emitted	age systems. Exposed t tained breathing apparat	tus with full-face mask
6.0 Accidental Release Measures	Personal Precautions, Pro For Non-Emergency Perso Spills or releases of this pro procedures. Wear protect leased material.	otective Equipmer onnel: oduct are not expe ive cotton gloves	ected to result in significat or their equivalent when	nt emergency response cleaning spilled or re-
	Personal Precautions, Protective Equipment And Emergency Procedures For Emergency Responders: If large amounts of spilled or released materials are involved, wear appropriate and protective clothing appropriate to the incident to prevent skin contact. Respirator tion should be worn if material is involved in a fire. (See Section 8.0).			propriate and approved
	Environmental Precautions: Prevent water used to extinguish fires from reaching drains, sewers, surface wa groundwater.			ers, surface waters or
	Methods and Materials fo Released material in dry fo hand if wearing protective fires from reaching drains, vacuuming methods to cle	orm may be swept cotton gloves or tl sewers, surface w	up using a broom and du heir equivalent. Prevent w aters or groundwater by c	vater used to extinguish
7.0 Handling and Storage	 Precautions for Safe Handling: Under conditions of normal handling and use expected for this product, no handling precautions other than those explained below are believed to be necessary. Handling precautions will be dependent on the method in which the product is used. Consult your safety representative for more details. DO NOT eat, drink or smoke when handling this product. Wash hands thoroughly after handling. Storage: Keep product sealed in its original container at room temperature 10 to 38° C (50 to 100° F) and at normal humidity (10 to 70 %). DO NOT mix this product with any other chemical substances. 			
8.0 Exposure	Component	CAS Number	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Controls / Personal	Trade Secret 1 Trade Secret 2	Registered	0.5 15 (Total Dust)	0.5
Personal Protection	Trade Secret 2	Registered	5 (Respirable Fraction)	None Established
FIOLECTION	Antimony Trioxide	1309-64-4	0.5	0.5
	Butyl Benzyl Phthalate	85-68-7	None Established	None Established
	Non-Hazardous Component	Not Applicable	None Established	None Established
	Appropriate Engineering (None needed when this pr		s prescribed manner by q	ualified personnel.

Eye/Face Protection:

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection:

None needed when this product is used in its prescribed manner by qualified personnel. Wear impervious clothing if exposures to skin are excessive. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection:

None needed when this product is used in its prescribed manner by qualified personnel. Where risk assessment shows air-purifying respirators are appropriate use a particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal Hazards:

None anticipated when this product is used in its prescribed manner by qualified personnel.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9.0 Physical	Appearance	White/Green Test Strip (Solid)
and Chemical	Odor	None
Properties	Odor Threshold	None
	рН	Not Applicable
	Melting Point	Not Applicable
	Freezing Point	Not Applicable
	Boiling Point	Not Applicable
	Boiling Range	Not Applicable
	Flash Point	Not Applicable
	Evaporation Rate	Not Applicable
	Flammability	Not Flammable
	Upper Flammable Limit	Not Applicable
	Vapor Pressure	Not Applicable
	Vapor Density	Not Applicable
	Relative Density	Not Applicable
	Solubility	Not Soluble
	Octanol/Partition Coefficient	Not Applicable
	Auto Ignition Temperature	Not Available
	Decomposition Temperature	Not Available
	Viscosity	Not Applicable

10.0 Stability and Reactivity	 Reactivity: This product is not reactive. Chemical Stability: This product is stable under normal handling conditions. Possibility of Hazardous Reactions: This product will not polymerize. Conditions to Avoid: Avoid open flames as test paper is combustible. Incompatible Materials: Acids, Bases, Oxidizers, Reducing Agents and Halogens. Hazardous Decomposition Products: Irritating or toxic substances including metallic oxides and oxides of carbon and nitrogen. 		
11.0 Toxicological Information	The toxicological properties of this product Acute Toxicity: Skin Corrosion/Irritation: Serious Eye Damage/Irritation: Respiratory or Skin Desensitization: Germ Cell Mutagenicity: Carcinogenicity: Reproductive Toxicity: STOT - Single Exposure: STOT - Repeated Exposure: Aspiration Hazard: Ingestion: Inhalation: Skin / Eye Exposure: Acute and Chronic Effects: Potential Health Effects: Signs and Symptoms of Exposure: Synergistic Effects:	et have not been fully investigated as a whole. No Data Available No Data Available	
12.0 Ecological Information 13.0 Disposal Considerations	The ecological properties of this product have not been fully investigated as a whole. Toxicity to Fish and Invertebrates No Data Available Persistence and Degradability No Data Available Bioaccumulative Potential No Data Available Mobility in Soil No Data Available PBT and vPvB Assessment No Data Available Other Adverse Effects No Data Available Product: Offer surplus and non-recyclable material to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Discarded product may be considered a U.S. Hazardous Waste if Toxic Characteristic Leachate Procedure shows >5 ppm Chromium content. Contaminated Packaging: Dispose of as unused product.		
14.0 Transport Information	This product is not a hazardous material when shipped according to DOT, IATA or IMDG shipping regulations.		

15.0 Regulatory Information	Emergency Planning and Community Right-to-Know Act (EPCRA): This product is exempt from regulation under the "article exemption". Toxic Substances Control Act (TSCA): All constituents are listed on the TSCA Inventory. Clean Air Act (CAA):		
	This product is exempt from regulation under the "article exemption". Clean Water Act (CWA): This product is exempt from regulation under the "article exemption".		
	Comprehensive Environmental Response Compensation And Liability Act: This product is exempt from regulation under the "article exemption". State Right To Know Lists: No substances in this product are present above any U.S. State's respective thresholds.		
	SECTION 313 SUPPLIER NOTIFICATION This product is exempt from regulation under the "article exemption".		
	European Inventory of Existing Commerical Chemical Substances: All substances contained in this product are listed on the EINECS.		
16.0 Other	This Material Safety Data Sheet complies with the U.S. Hazard Communication		

Information

This Material Safety Data Sheet complies with the U.S. Hazard Communication Requirements contained in 29 CFR Part 1910.1200 as promulgated by the U.S. Occupational Health and Safety Administration (OSHA), the American National Standards Institute (ANSI) recommended practice for preparing MSDS sheets as contained in ANSI Z400.1- 2004, Section 13 of the Canadian Hazardous Products Act (HPA) and the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

- % Percent
- ACGIH U.S. American Conference of Governmental Industrial Hygienists
- C Degrees Celcius
- CAA U.S. Clean Air Act
- CAS Chemical Abstracts Number

CERCLA U.S. Comprehensive Environmental Response Compensation and Liability Act

- CWA U.S. Clean Water Act
- DOT U.S. Department of Transportation
- EC European Commission Number
- EC50 Half maximal effective concentration
- EINECS European Inventory of Existing Commercial Chemical Substances
- EPCRA U.S. Emergency Planning and Community Right-To-Know Act
- EU European Union
- F Degrees Fahrenheit
- GHS Globally Harmonized System (GHS) of Classification and Labeling of Chemicals H Hours
- HPA Hazardous Products Act
- IARC International Agency for the Research on Cancer
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC50 Lethal Dose to kill 50% of test species via inhalation

MSDS NAAQS NPDES NTP OSHA PBT PEL Ppb Ppm Prop 65 REACH RQ SVHC TLV	Lethal Dose to kill 50% of test species via oral or dermal administration Lethal Dose - Low Concentration Milligram per kilogram of body weight Milligrams per liter Milligrams per cubic meter Material Safety Data Sheet National Ambient Air Quality Standard established under CAA U.S. National Pollutant Discharge Elimination System U.S. National Toxicology Program U.S. Occupational Safety and Health Administration (See OSHA) Persistent Bioaccumulative Toxin Permissible Exposure Limit Averaged Over 8 Hours (See OSHA) Parts Per Billion Parts Per Million California Proposition 65 Registration, Evaluation, Authorization and Restriction of Chemicals (See EU) Reportable Quantity RTK Right-To-Know SDS Safety Data Sheet Substances of Very High Concern (See REACH) Threshold Limit Value Averaged over 8 Hours (See ACGIH)
TSCA U.S.	U.S. Toxic Substances Control Act United States
vPvB	Very Persistent, Very Bioaccumulative Chemical (See REACH)
WHIMS	Canadian Workplace Hazardous Materials Information System

IMPORTANT USE NOTICE

Information contained in this Safety Data Sheet is offered for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on information which we believe to be reliable. However, the accuracy and completeness of such information is not guaranteed and no warranty of any kind, either expressed or implied, is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe upon any patent of Getinge or its subsidiaries or others covering any process, composition of matter, or use. Since Getinge or its subsidiaries have no control over the use of this product, Getinge and its subsidiaries assumes no liability of any kind whatsoever for any loss or damages incurred from the proper or improper use of this product. End users of this product are responsible for conforming with all applicable Federal, State, Provincial, International and Local laws, rules and regulations.

END of SDS

SDS Current Date 07/19/2022 Authored By: Michael Boozer / ChemReport, Incorporated Co Authored by Steritec Products

SDS203_01_EN-AU - Getinge Titems Diagnostic Emulator Safety Data Sheet

Getinge Infection Control AB, P O Box 69, SE-305 05 Getinge, Sweden