

Getinge Assured

Test Soil

1.0 Product and Company Identification

Product Name	Getinge Assured Test Soil
Product Code	504228300
Recommended Use	For diagnostic use only. Not for normal consumer use.
Supplier	Getinge Infection Control AB, PO Box 69, 305 05, Getinge, Sweden
Telephone No.	+46 10 335 00 0
Web	http://www.getinge.com
Email	info@getinge.com
NOTICE	Getinge Assured Test Soil is not considered to be a hazardous product according to the OSHA Hazardous Communication Standard, 29 CFR 1910.1200 and the Controlled Products Regulations. Getinge Assured Test Soil and its packaging do not contain latex.

Health and Safety:

When reconstituted, the Getinge Assured Test Soil contains inert ingredients, coloring dyes, egg and animal derived proteins. As such it does not present a risk to health when used as directed and poses no risk of introducing blood contaminants into the washer-disinfector.

Eyes:

If material inadvertently gets into eyes, flush with water for at least 15 minutes and seek medical advice.

Skin:

Avoid contact with skin. Wash with soap and water. Seek medical advice if irritation develops.

Ingestion:

Do NOT ingest. Do NOT induce vomiting. Get medical attention. Do not give anything by mouth to an unconscious person. If conscious, drink a large quantity of milk or water.

Shipping Information:

Non-Hazardous

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.

END of SDS

SDS Current Date 10/3/2019

Authored By: STERIS Corporation / Albert Browne Limited

Co Authored By Joe Vargas / Steritec Products