

Getinge Assured

Test Soil

1.0 Product and Company Identification

Product Name	Getinge Assured Test Soil
Product Code	504228300
Recommended Use	For diagnostic use only. Not for normal consumer use.
Supplier	Getinge Infection Control AB, PO Box 69, 305 05, Getinge, Sweden
Supplier Australia:	Getinge Australia Pty Ltd Suite 701, Level 7, 11 Help Street, Chatswood, NSW 2067, Australia Phone: 1800 438 464
Supplier New Zealand:	Getinge Australia (NZ Branch) 600 Great South Road, Building B, Level 2 Ellerslie, Auckland 1051, New Zealand Phone: 0800 1 438 464
Telephone No.	For emergency event of spillage, inhalation or ingestion of products, please contact the emergency hotline: Australia: +61 280 144 558 New Zealand: +64 9 929 1484
Telephone No.	+46 10 335 00 0
Web	http://www.getinge.com
Email	info@getinge.com
NOTICE	Getinge Assured Test Soil is not considered to be a hazardous product according to the OSHA Hazardous Communication Standard, 29 CFR 1910.1200 and the Controlled Products Regulations. Getinge Assured Test Soil and its packaging do not contain latex.

Health and Safety:

When reconstituted, the Getinge Assured Test Soil contains inert ingredients, coloring dyes, egg and animal derived proteins. As such it does not present a risk to health when used as directed and poses no risk of introducing blood contaminants into the washer-disinfector.

Eyes:

If material inadvertently gets into eyes, flush with water for at least 15 minutes and seek medical advice.

Skin:

Avoid contact with skin. Wash with soap and water. Seek medical advice if irritation develops.

Ingestion:

Do NOT ingest. Do NOT induce vomiting. Get medical attention. Do not give anything by mouth to an unconscious person. If conscious, drink a large quantity of milk or water.

Shipping Information:

Non-Hazardous

END of SDS
SDS Current Date 09/14/2022
Authored By: STERIS Corporation / Albert Browne Limited
Co Authored By Steritec Products